

► **MAY 2016**
Volume 8, Number 2

The Results from Our Surveys of Safety Culture Are In: Now What?

Executive Summary

Healthcare organizations conduct culture of safety surveys to assess staff perceptions about their patient safety climate. The findings can help an organization identify areas for improving the patient safety culture, but they must be thoughtfully implemented and supported by leadership to achieve lasting change.

Leadership

ORGANIZATIONS SLOW TO RESPOND TO CULTURE OF SAFETY SURVEY FINDINGS

A positive safety culture is fundamental to enhanced patient safety. Numerous studies have shown a link between a good safety culture and error prevention (Berry et al.; Brilli et al., Fan et al.; Hofmann and Mark; Huang et al.).

ECRI Institute Patient Safety Organization (PSO) recommends that organizations periodically evaluate their progress in patient safety by surveying staff about the organization's patient safety culture. The anonymous surveys are distributed to all staff, including frontline staff, managers, senior leaders, and clinicians. The findings, along with other internal data, can help an organization identify areas for improving the patient safety culture.

ECRI Institute PSO has been conducting culture of safety surveys for its members and collaborating organizations since being federally certified in late 2008. The PSO recently compared the results from surveys completed in 2009 to those conducted in 2015 to assess healthcare organizations' progress in developing a culture of safety.

The findings were unexpected. "There hasn't been much movement of the needle" from one year to the other, says ECRI Institute's Barbara G. Rebold, RN, MS, CPHQ, director, engagement and improvement.

Indeed, ECRI Institute named failure to embrace a culture of safety among its top 10 patient safety concerns for 2016 (ECRI Institute). Having a culture of safety is vital to all patient safety efforts. "It's really the foundation," says Mary Beth Mitchell, MSN, RN, CPHQ, CCM, SSBB, ECRI Institute patient safety analyst and consultant.

In this issue of the *PSO Navigator*, ECRI Institute's patient safety analysts share their insights for using the findings from safety culture surveys to make lasting improvements in patient safety. One hospital that worked with ECRI Institute PSO to administer its survey also describes how it acted on its survey findings. For a summary of ECRI Institute PSO tips for building on the findings from safety culture surveys, refer to "Strategies to Address Safety Culture Survey Results."

What Is a Culture of Safety?

Generally, a safety culture is defined as the collective product of individual and group values and attitudes, competencies, and patterns of behaviors in safety performance. Simply put, says Elizabeth Drozd, MS, MT(ASCP)SBB, CPPS, ECRI Institute patient safety analyst and consultant, "a safety culture is the combination of behaviors and attitudes you get toward patient safety the moment you step in the front door of the health facility."

Strategies to Address Safety Culture Survey Results

- Present findings to leadership; seek leaders' support for the action plan.
- Assign multidisciplinary team to review findings and develop the action plan.
- Include frontline staff in developing the action plan.
- Focus priorities on poor-performing areas of the safety culture survey.
- Ensure that organization priorities have a safety culture focus.
- Cultivate open communication about errors to learn from failures.
- Consider findings in context of the organization's other patient safety and performance data.
- Tailor strategies to specific needs; avoid a one-size-fits-all approach.
- Give feedback about results to staff.
- Plan to resurvey to evaluate the impact of changes.

Safety Culture Surveys

- AHRQ Hospital Survey on Patient Safety Culture: available at <http://www.ahrq.gov/professionals/quality-patient-safety/patientsafetyculture/hospital/index.html>
- Manchester Patient Safety Framework: available at <http://www.nrls.npsa.nhs.uk/resources/?entryid45=59796>
- Patient Safety Climate in Health-care Organizations: available at <http://www.midss.org/content/patient-safety-climate-health-care-organizations-pscho>

Essential to a safety culture is a foundation built on a just, or fair, culture and a willingness to learn from failures by adopting systems thinking to error prevention. The safety culture must permeate “every nook and cranny” of the organization so that staff “speak up and point out when a process is not safe,” says Rebold. “If we’re depending on frontline staff to stop the line, they need to be empowered to move forward without fear that they will get in trouble for doing so. People will not speak up if the culture is a blameful one,” she explains.

Accrediting and Regulatory Requirements

Support for a safety culture is also an expectation of accrediting organizations and regulators. The Joint Commission’s accreditation standards, for example, require an organization’s leaders to create, maintain, and regularly evaluate a culture of safety and quality (Joint Commission). During accreditation surveys, surveyors ask facilities about their process to survey staff about the safety culture and to develop and implement an action plan based on the findings, says ECRI Institute’s Patricia Neumann, RN, MS, HEM, senior patient safety analyst and consultant.

Additionally, this year the Centers for Medicare and Medicaid Services (CMS) began collecting the following data from hospitals on patient safety culture surveys (CMS):

- ▶ Does the hospital conduct a patient safety culture survey?

- ▶ If so, what tool does the hospital use to collect the data?
- ▶ How frequently is the survey administered?
- ▶ Are the data reported to a centralized location other than the facility’s (e.g., a national data repository)?
- ▶ What was the response rate to the most recently conducted survey?

The agency is collecting data about patient safety culture surveys as a quality measure and will provide hospitals’ responses to these questions on its Hospital Compare website, which is accessible to the public. CMS recognizes that a patient safety culture survey is important and wants to understand whether hospitals are using survey data to improve their patient safety culture, says Neumann.

Safety Culture Survey Just the Beginning

Conducting the survey is just a first step to developing and sustaining a safety culture. “You can’t just ask people to take the survey and put the findings in a binder on the shelf,” says Drozd.

Nor can an organization expect quick results. Culture change can take time to become ingrained within an organization, says Mitchell. “Culture is about beliefs. It needs to permeate every angle and every resource of the organization so that it eventually overwhelms the few people who don’t want to change.”

What We Are Seeing

WIDESPREAD SURVEY PARTICIPATION NECESSARY FOR MEANINGFUL RESULTS

Various surveys, as listed in “Safety Culture Surveys,” are available to health-care organizations to assess their safety culture. ECRI Institute uses the Agency for Healthcare Research and Quality’s (AHRQ’s) Hospital Survey on Patient Safety Culture, which measures 12 key areas of a safety culture, such as organizational learning, teamwork within and across units, and a nonpunitive response to error.* For most of the key areas, the survey asks individuals to respond to three to four statements using a predefined scale (i.e., “strongly disagree,” “disagree,” “agree,” “strongly agree”). One area asks individuals to indicate the frequency of various types of event reports at their organizations using a predefined scale (i.e., “always,” “most of the time,” “sometimes,” “rarely,” “never”).

Examples of survey items include:

- ▶ Mistakes have led to positive changes here.
- ▶ Hospital management provides a work climate that promotes patient safety.
- ▶ We are given feedback about changes put into place based on event reports.
- ▶ Staff are afraid to ask questions when something does not seem right.
- ▶ Staff feel like their mistakes are held against them.

ECRI Institute has automated the AHRQ survey so that staff can complete it online. Each participant is given a unique password to access the survey and anonymously complete it online. “Anonymity is important so people respond and are not afraid to give honest answers,” says Drozd.

Facilities are encouraged to seek widespread participation from their workforce and to include nonemployees, such as clinicians. The initial request to complete the survey should be sent by a senior leader, such as the chief executive officer or chief medical officer, so that people participate in the survey, says Drozd.

ECRI Institute PSO monitors participation rates and sends reminders to individuals who have not completed the survey so that facilities achieve a high participation rate. “We encourage a high participation rate, so that the survey is representative of the majority of employees,” says Mitchell. “If the completion rate is less than 60%, it can be difficult to make determinations of issues and concerns.”

“We also look to see that we have enough respondents from different areas,” Mitchell adds. Individual department results are not provided if the response rate from a particular department is low enough to risk survey participants’ anonymity; instead, the results are rolled up into the overall findings.

Safety Culture Survey Results

The aggregate safety culture scores, as illustrated in “Figure. Composite Scores from Three Patient Safety Culture Surveys” reflect the average percentage of positive responses across each of the items within a key area. The figure captures the results from safety culture surveys conducted by ECRI Institute PSO and the most recent data compiled by AHRQ from its comparative database report as follows:

- ▶ 2009 results representing 3,214 participants
- ▶ 2015 results representing 11,751 participants

* ECRI Institute also conducts safety culture surveys for continuing care facilities and medical offices. The focus of this article is on hospital safety culture surveys.

- ▶ AHRQ 2014 user comparative database report, representing 405,281 participants

AHRQ's 2014 report is based on hospital surveys administered between July 2011 and June 2013 (Sorra et al. "Hospital Survey"); the data are voluntarily submitted to AHRQ for inclusion in its comparative database. ECRI Institute PSO survey results reflect the year the survey was administered.

High- and Low-Scoring Areas

Although the results are not year-to-year comparisons of surveys administered by the same group of hospitals, they do provide a snapshot of the safety climate as perceived by staff who responded to the survey. The results reported by ECRI Institute PSO members are generally consistent with the findings in the AHRQ comparative database of hospitals that have voluntarily submitted the results from their safety culture surveys.

"Table 1. Culture of Safety Surveys: High- and Low-Scoring Areas" lists the areas of strength and areas with potential for improvement for most hospitals, based on recent culture of safety survey results from ECRI Institute PSO 2015 surveys and AHRQ's 2014 report on comparative database results.

Culture of Safety Concerns Echoed in Event Reports


Staff concerns about an organization's safety culture also come through in the

event reports submitted to ECRI Institute PSO and its collaborating organizations. ECRI Institute PSO conducted a search of events occurring in 2015 using a word query (e.g., "attitude," "disruptive," "behavior," "unprofessional," "training," "education," "listen," "rude," "condescending," "punitive"), applied to event narratives, to identify events that may be linked to the organization's culture of safety.

The events reaffirm staff concerns about attitudes and behaviors that can undermine patient safety, even in those key areas that typically have higher positive responses in the culture of safety surveys. Some events also underscore staff frustration with organizations' silence about their concerns. Examples are provided in "Table 2. Sample Events Express Concerns about Behavior Undermining Patient Safety."

"By the time these concerns reach the event reports, it's a cry for help from staff," says Drozd. Using the findings from their culture of safety surveys and other data collected by the organization, leadership can respond with a call to action to improve and sustain a safety culture. Although culture change takes time, Rebold reminds organizations that "a little bit of change can make a big difference."

Figure. Composite Scores from Three Patient Safety Culture Surveys



Sources: ECRI Institute PSO, Component of ECRI Institute (Plymouth Meeting, Pennsylvania). Sorra J, Famolaro T, Yount ND, et al. Hospital survey on patient safety culture 2014 user comparative database report. (Prepared by Westat, Rockville, MD, under contract no. HHSA 290201300003C). Rockville, MD: Agency for Healthcare Research and Quality; 2014 Mar. AHRQ publication no. 14-0019-EF. Also available at <http://www.ahrq.gov/professionals/quality-patient-safety/patientsafetyculture/hospital/2014/index.html>

Table 1. Culture of Safety Surveys: High- and Low-Scoring Areas*

Area of Strength (High Scores)	Area with Potential for Improvement (Low Scores)
Teamwork within units	Staffing levels
Supervisor/manager expectations and actions promoting patient safety	Handoffs and transitions Nonpunitive response to error
Organizational learning—continuous improvement	

* High- and low-scoring areas are listed in descending order by average percent positive response.

Sources: ECRI Institute PSO, Component of ECRI Institute (Plymouth Meeting, Pennsylvania). 2015 culture of safety results; Sorra J, Famolaro T, Yount ND, et al. Hospital survey on patient safety culture 2014 user comparative database report. (Prepared by Westat, Rockville, MD, under contract no. HHS 290201300003C). Rockville, MD: Agency for Healthcare Research and Quality; 2014 Mar. AHRQ publication no. 14-0019-EF. Also available at <http://www.ahrq.gov/professionals/quality-patient-safety/patientsafetyculture/hospital/2014/index.html>

Table 2. Sample Events Express Concerns about Behavior Undermining Patient Safety

Culture of Safety Key Area	Sample Deidentified Event
Communication openness	<i>Patients were put at risk by a fatigued doctor and no one stopped this. The doctor’s response to me was, “This is not on my priority list. When you stop wasting my time, I will be able to get something done.”</i>
Handoffs and transitions	<i>A patient was admitted from the emergency department [ED] today. I tried to look up the phone number for the RN in the ED taking care of the patient, but she had failed to leave her phone number in the ED patient summary progress note. I took a few minutes to look up the information and called the ED nurse with questions. She didn’t take her part in the patient handoff process seriously. When the patient arrived on the floor, he stated that his experience in the ED had been very poor. He felt that no one was listening to him. I transported a patient from the ED to his room. When I arrived at the room, there was information that the patient was on droplet precautions because the patient was swabbed in the ED to rule out flu. There was no indication from the ED that the patient was on any precautions. I am very disturbed that this continues to happen.</i>
Management support	<i>It would be great if someone in upper management would sit down with the doctor and let him know his behavior is unacceptable. Anesthesia’s behavior puts patient safety at risk. When will this hospital decide enough is enough and patient safety comes first? I hope that more staff feel compelled to report these types of issues that get swept under the rug by our management far too often.</i>
Response to error	<i>The medication was not given as ordered. Will discuss at staff meeting and also try to identify the nurse involved to follow up about education.</i>
Staffing	<i>The patient had concerns about medications. We have so many complaints from patients due to lack of staff. Everyone is working very hard here. In their infinite wisdom and flawed decision making, administration finds that paying registered nurses to perform custodial and orderly jobs far outweighs nurses providing direct patient care. What we should be doing is the right thing and not the cheap thing! It might also improve patient and family satisfaction not to mention reduce burnout of nursing and physician staff.</i>
Teamwork	<i>The surgeon is a bully. His tone is rude and condescending. This is a patient safety issue, in addition to being unprofessional. Our team needs to work together for the best patient outcomes. When one team member is belittled, the entire team suffers. This leaves all team members more prone to making mistakes and unable to perform at optimal levels. This sets up an environment that is ripe for mistakes.</i>

Source: ECRI Institute PSO, Component of ECRI Institute (Plymouth Meeting, Pennsylvania).

Lessons Learned

USING SURVEY RESULTS FOR LASTING CHANGE

What can organizations do with the findings from their safety culture surveys? Their responses must be carefully planned and supported by leadership for lasting impact (Morello et al.). Neumann is familiar with one organization that assigned each of its care units with responsibility to address its survey findings. But without a system-wide approach that held each unit accountable to the organization's goals, the initiatives lost momentum, she says.

Listed below are ECRI Institute PSO recommendations for ensuring that the findings from safety culture surveys lead to change. Many of these recommendations are also echoed in AHRQ's recently released planning tool for addressing the findings from patient safety culture surveys (Sorra et al. "Action Planning Tool").

Engage Leadership

Just as senior leadership support is needed to encourage staff participation in safety culture surveys, their ongoing commitment to a culture of safety has to be sincere, visible, and backed with resources. "Leadership sets the priorities. You have to start by presenting the findings to leadership for their agreement and buy in," says Mitchell. "No matter how much an employee wants to embrace this, if leadership doesn't embrace this, it's not going to happen," she says.

Besides making resources available to support patient safety improvement, leaders can support change through specific actions and behavior that embody a commitment to safety. Some organizations, for example, have implemented leadership walkarounds, in which leaders take turns rounding on the units to see how things are going. "It shows that they're invested in making things better and that they're supportive," says Mitchell.

"A common complaint from frontline staff is that they don't know their organization's executives and don't see them," adds Drozd.

"Staff are grateful when they see executives on their units asking about what they need."

Support A Just Culture

Cultivating a culture of safety depends on the organization's openness about errors and problems. Organizations must know about the problems and unsafe conditions that need fixing by supporting an atmosphere in which healthcare workers can report actual or potential errors, events, and hazards without fear of reprisal. "A nonpunitive response to error and near misses is key to a safety culture; it needs to be encouraged," says Rebold.

Unfortunately, results from the safety culture surveys over the years find that organizations' support for a nonpunitive response to error remains among the lowest scoring of the 12 areas evaluated in the surveys. Only 42% of responses to the 2015 surveys were positive about statements regarding a nonpunitive error response. Despite nearly two decades of emphasis about the importance of a just culture to support patient safety, staff are still concerned that mistakes will be held against them. Not only is this concern reflected in the safety culture surveys, it is also echoed in the events in ECRI Institute PSO's database and consulting projects on event investigations.

Error decision tree. To encourage reporting of medical errors, facilities must demonstrate through policy and action that reporting is expected and encouraged, says Rebold. Disciplinary action is reserved only for those who willfully disregard policies and procedures and jeopardize patient safety. Some organizations have adopted algorithms to assist in determining whether a safety event was the result of systems issues that permitted the individual to adopt workarounds and other at-risk behaviors or was the result of unjustified, reckless behavior on the part of the individual. ECRI Institute PSO has developed a sample algorithm or error decision tree to apply to any event

ECRI Institute PSO Safety Culture Resources

- Culture of safety action plan: <https://www.ecri.org/components/PSOCore/Pages/PSOPol2.aspx>
- Culture of safety [guidance article]: <https://www.ecri.org/components/HRC/Pages/RiskQual21.aspx>
- Error decision tree: <https://www.ecri.org/components/PSOCore/Pages/PSOPol1.aspx>
- Handoff communication toolkit: <https://www.ecri.org/components/PSOPlus/Pages/HC.aspx>
- Safety culture assessments: https://www.ecri.org/components/Pages/insight_risk_assessment_services.aspx

investigation. (refer to “ECRI Institute PSO Safety Culture Resources” for information on accessing the error decision tree). “I would make it a standard operating procedure to use the error decision tree to look at whether a reasonable individual, in the same situation, could have made the same error because of a system failure,” says Rebold.

Enlist A Multidisciplinary Team

With leadership support in place, the organization can begin to analyze the survey results by assigning a multidisciplinary team to review the findings and develop an action plan. Although the composition of the team will vary with each organization, Drozd recommends the following three elements as essential to the team’s success:

1. A senior leader who can join the team and sponsor its efforts.
2. A well-trained facilitator, familiar with process improvement techniques.
3. Frontline staff who bring a stakeholder perspective and can drive changes recommended by the action plan.

One hospital that worked with ECRI Institute in conducting its survey and compiling the survey results devoted a full day to reviewing the results of its safety culture survey and devising an action plan. For information about its approach, refer to “Case Study: How One Hospital Addressed Safety Culture Survey Findings.”

Focus on Priorities

In reviewing survey results, ECRI Institute PSO recommends that organizations focus on addressing the areas with the most opportunity for improvement. “We guide our clients in understanding you can’t fix everything at once. You look at the top-three and bottom-three performing areas, and you focus on the bottom three to work on,” says Drozd. Typically, these three poor-performing areas are staffing, handoffs and transitions, and nonpunitive response to error. “Intuitively, I don’t think the survey results are a surprise to many organizations,” Drozd notes.

Organizations can also further analyze their performance in the top-three areas

by comparing their performance to the averages reported in the AHRQ comparative database. “It is important to note that although some areas are designated in the ‘top’ category, they may actually be below the comparative average and, therefore, still require attention and interventions,” says Drozd. “Alternatively, top category areas that are above the comparative averages offer a great opportunity to congratulate and recognize staff for a job well done.”

Maximize impact. Neumann recommends aligning the safety culture action plan with other initiatives. “If you choose an area for improvement that affects multiple points, it will be more successful,” she says. “For example, if the area selected can improve patient satisfaction scores, decrease adverse events, and more, it will have more support,” she explains. She is aware of one organization that is considering an initiative to improve patient discharge because it weaves together several issues: staff concerns about handoffs and transitions identified in the safety culture survey, problems with medication reconciliation at discharge, and the organization’s strategic plan to provide services spanning the continuum of care. “It’s an initiative that works on multiple dimensions,” says Neumann.

Dig Deeper

Look for differences. Instead of just looking at overall results in a particular area, Rebold recommends digging deeper to analyze department-level responses to individual questions. “If you roll up the results to a high level, you can fool yourself into thinking everything is fine. When you bring it down to a department or unit level, that’s when you start to see differences,” she says.

Learn from top performers. Rebold also suggests that organizations examine why some departments have more positive responses than others and learn from departments that are achieving success. “If you see that some departments are not doing well, but others are, then look to those high-performing areas as experts in your organization who can help others learn,” says Rebold.

Case Study: How One Hospital Addressed Safety Culture Survey Findings

After receiving results of its hospital culture of safety survey from ECRI Institute PSO, which administered the survey, Cooper University Health Care (Camden, New Jersey) assembled a multidisciplinary team of about 30 individuals to spend a day reviewing the results and developing an action plan for its hospital. The team was composed of nursing leaders, physicians and residents, supervisors, and frontline staff. Cooper enlisted ECRI Institute PSO to administer the survey to its hospital staff and to report the findings.

The team's charge was to identify the top areas for improvement, discuss barriers, and propose solutions, says Danielle Majuri, MSN, RN, APRN, the health system's assistant vice president regulatory, accreditation, and patient safety. The team used a Lean Six Sigma approach to process improvement so that each initiative had a process owner who would take the team's suggestions and implement them.

The findings from the survey, conducted in 2014, provided a "good snapshot" of the hospital's culture of safety, Majuri says, noting that there were no surprises from the findings. One area selected for improvement by the team was to develop more initiatives to promote a nonpunitive response to error, says Majuri, who is the process owner for this area. Like the majority of hospitals that conduct culture of safety surveys, Cooper found that the hospital's performance in this area was among the lowest scoring of the 12 areas evaluated by the survey.

Among the initiatives identified by the team to promote a nonpunitive culture are the following:

- Promote the lessons learned from event reporting. The hospital plans to develop a video each quarter providing feedback about changes put in place from a reported event (the event is de-identified in the video vignette).
- Support near-miss reporting. The hospital's electronic reporting system now features an option for "good catch" reporting. The hospital announced during Patient Safety Awareness Week in March that it will hold quarterly contests for notable good catches with an associated employee recognition program.
- Demystify root-cause analysis (RCA) of events. In addition to sending a thank-you note to staff involved in an event who participate in RCAs, nursing leaders, with the assistance of infection prevention staff, are running "mini-RCAs" on care units of issues, such as hospital-acquired infections, that can be addressed at the unit level.

Cooper is preparing to resurvey its hospital staff about the safety culture using its 2014 results as a benchmark. Majuri will be looking closely to see if the hospital's scores for nonpunitive response to error improve. "We hope that people feel more secure about the nonpunitive environment" as a result of the initiatives put in place in response to the last survey, she says.

Combine with other data. The safety culture results should be considered within the context of other patient safety and performance data for the organization. For example, Mitchell recalls how one organization's results showed that staff responded positively about the number of events that were reported. "But when we looked at the number of events reported over two years, we found out they really weren't reporting more," she says. Those findings prompted the organization to examine the discrepancy.

While staff supported event reporting, it turned out there were misunderstandings about the reporting policy and, specifically, who should fill out the reporting form. "Staff thought events were being reported, but, in actuality, they were not" because there was no directive about who should be reporting, Mitchell explains.

Customize Strategies

Don't expect to design an action plan with a one-size-fits-all approach. Solutions must be

Education Teaser*

An initial action to improve your organization’s safety culture is to:

- a. Assess the current culture of the organization.
- b. Create policies to require adherence to existing safety standards.
- c. Evaluate existing policies to identify characteristics of a culture of safety.
- d. None of the above.

The most important information that can be gained from assessing a safety culture are the perceptions, attitudes, and opinions of:

- a. Leaders
- b. Managers
- c. Staff
- d. All of the above.
- e. b and c only.

* Earn AMA PRA Category 1 credits! Access online courses on this topic through ECRI Institute’s e-Learn at <https://www.ecri.org/components/Pages/e-Learn.aspx>.

customized to the needs of a specific unit or department, says Mitchell. For example, one of the poor performing areas in the safety culture surveys is related to hand-offs and transitions. “If the response is to develop tools to help with shift-change handoffs, they should be specific to the units” where information needs will vary, she says. “A shift-change handoff can happen in the OR [operating room], but it is different from a handoff in the ED or ICU [intensive care unit].”

“For process improvements to be sustained, they must be incorporated into the work process of each unit,” agrees Rebold. “You don’t want to simply overlay an improvement on an existing process. You have to look at their work flow and find out where and how it makes the most sense.”

As organizations develop an action plan, Neumann reminds them of the “SMART” acronym for setting goals as follows (50Minutes.com):

- ▶ **Specific** (state what will be accomplished by the goal)
- ▶ **Measurable** (establish metrics for measuring progress toward the goal)
- ▶ **Achievable** (set goals that are within the organization’s capability to reach)
- ▶ **Relevant** (ensure that the action plan dovetails with the organization’s big picture goals)
- ▶ **Time bound** (set a time limit for achieving goals)

Because change can take several years to achieve, Rebold recommends setting year-to-year measurable goals so that the changes are phased in gradually. As an example, refer to “Table 3. Sample Action Plan with Five Year Phase-In,” for an approach an organization might take to gradually implement changes for three areas measured by the safety culture survey.

Additionally, ECRI Institute PSO has developed a template safety culture survey action plan that can be used by organizations to identify planned actions for any

of the 12 key areas of the safety culture survey, establish year-to-year goals, and evaluate year-to-year progress in meeting those goals. Refer to “ECRI Institute PSO Safety Culture Resources” to access the template online.

Give Feedback

One area evaluated by safety culture surveys is staff perceptions regarding feedback about event reporting and changes put in place as a result of the events. If there’s no follow-up, a feeling grows among the staff that nothing is going to be done anyway. “Staff will feel that reporting is a waste of time,” says Mitchell. Similarly, staff want to know about the findings from safety culture surveys. If they’re not informed about the survey findings and the organization’s response to the results, they’re less likely to respond to requests to complete the survey the next time it is distributed.

In fact, one of the events identified from the search of culture of safety events reported to ECRI Institute PSO is actually a request to learn about earlier survey results before another one is conducted. “It is our understanding that a new culture of safety survey is about to begin,” the event narrative says. “We are still anxiously awaiting management to share results from the previous survey.”

Organizations can use the usual formats for sharing information, such as newsletters, e-mail blasts, meetings, and flyers, as well as try other less traditional venues to gain staff’s attention. For example, managers might highlight the survey findings during patient safety huddles at the start of a unit shift, and leaders can discuss the findings during their walkarounds, says Drozd.

Information sharing should reflect the adult learning styles of staff and be provided in several formats to be effective, says Rebold. “Some staff respond to verbal communication like hearing stories at staff meetings; others respond to visual information like presentations with charts and graphs or to nonverbal

Table 3. Sample Action Plan with Five Year Phase-In

Culture of Safety Key Area	Planned Action	2016	2017	2018	2019	2020
Frequency of events reported	Increase event reports/1,000 patient days	10% increase from 2015	10% increase from 2016	10% increase from 2017	10% increase from 2018	10% increase from 2019
Handoffs and transitions	Disseminate SBAR* handoff tool to all staff	Core team formed and training begins. 10% of staff trained.	40% of staff trained	All staff trained. New employee training continues, SBAR re-education implemented for current staff every 2 years.	All staff trained or re-educated about SBAR	All staff trained or re-educated about SBAR
Nonpunitive response to error	Adopt error decision tree for event response	Board and senior leaders trained in error decision tree	Repeat annual refresher education for board and senior leaders. New training rolled out to physician leadership and committee chairs.	Repeat annual refresher training. New training rolled out to middle management.	Repeat annual refresher training. New training rolled out to frontline managers, supervisors, and charge staff.	Error decision tree fully implemented. Repeat annual refresher training.

* SBAR is the Situation, Background, Assessment, and Recommendation communication technique.

communication. Organizations should use all methods and communication paths available. Also, do not assume that the message will be absorbed after one communication. In a busy healthcare environment, staff may need to receive the message multiple times and ways," she explains.

Benchmark

Although an organization may be tempted to compare its safety culture survey results to the performance of others, the best benchmark is the organization's past performance. "You have to compare yourself to yourself," says Drozd. Therefore, organizations should plan to conduct the survey again to evaluate the effects of interventions put in place after the initial survey. "You take the assessment. You look at areas you want to improve. You implement different types of interventions,

and you take the assessment again," says Drozd.

ECRI Institute PSO recommends waiting at least 18 months between surveys. "You need to allow time for the results to take shape," says Drozd.

Give It Time

Finally, organizations must plan for culture change to take effect over several years. Initiatives to create and sustain a culture of safety should ultimately become ingrained in the systems of care delivery. "This is not a simple thing to do. It is not something that can be done alone. It needs to affect all decision-making in the organization, and it needs to involve all levels of leadership. It takes time," says Rebold.

ECRI INSTITUTE PSO

Ronni P. Solomon, JD, Executive Vice President and General Counsel; **Amy Goldberg-Alberts**, MBA, FASHRM, CPHRM, Executive Director, Partnership Solutions; **William M. Marella**, MBA, Executive Director, Operations and Analytics; **Catherine Pusey**, RN, MBA, Associate Director, PSO; **Barbara G. Rebold**, BSN, RN, MS, CPHQ, Director, Engagement and Improvement; **Paul A. Anderson**, Director, Risk Management Publications; **Leah M. Addis**, MA, CPASRM, Risk Management Analyst; **Dhanashree (Chitra) Bapat**, MS, Manager, Clinical Informatics; **Julia L. Barndt**, MA, Associate Editor; **Elizabeth Drozd**, MS, MT(ASCP)SBB, CPPS, Patient Safety Analyst and Consultant; **Andrea Fenton**, Assistant Editor; **Edward Finley**, Clinical Informatics Analyst; **Robert C. Giannini**, NHA, CHTS-IM/CP, Patient Safety Analyst and Consultant; **Ambily Gracebaby**, MS, Clinical Informatics Analyst and Consultant; **Kelly C. Graham**, BS, RN, Patient Safety Analyst and Consultant; **Gail M. Horvath**, MSN, RN, CNOR, CRCST, Patient Safety Analyst and Consultant; **Ruth Ison**, MDiv, STM, Patient Safety Analyst and Consultant; **Laura E. Kuserk**, MS, Assistant Editor; **Mark Macyk**, Assistant Editor; **Mary Beth Mitchell**, MSN, RN, CPHQ, CCM, SSBB, Patient Safety Analyst and Consultant; **Nancy Napolitano**, PCHA, Patient Safety Analyst and Consultant; **Patricia Neumann**, RN, MS, HEM, Senior Patient Safety Analyst and Consultant; **Madelyn S. Quattrone**, Esq., Legal Editor, Risk Management Publications; **Sheila Rossi**, MHA, Senior Patient Safety Analyst and Consultant; **Melva Sanzon**, Informatics Analyst; **Stephanie Uses**, PharmD, MJ, JD, Patient Safety Analyst and Consultant; **Cynthia Wallace**, CPHRM, Senior Risk Management Analyst; **Diana Winters**, Copyeditor; **Andrea J. Zavod**, Managing Editor

ADVISORY COUNCIL

Katrina Belt, MPA, Healthcare Authority for Baptist Health; **Darrel A. Campbell Jr.**, MD, University of Michigan Health System; **Nancy E. Foster**, American Hospital Association; **Stephen T. Lawless**, MD, MBA, The Nemours Foundation/Alfred I. DuPont Hospital for Children; **David C. Levin**, MD, Jefferson Health System; **David L. Mayer**, PhD, New York Metropolitan Transportation Authority (MTA); **Michael A. Olympio**, MD, Wake Forest University School of Medicine; **Richard G. Roberts**, MD, JD, University of Wisconsin School of Medicine and Public Health; **Debra Simmons**, PhD, RN, CCNS, Independent Consultant; **Robert M. Wachter**, MD, University of California, San Francisco

MISSION STATEMENT

ECRI Institute PSO's mission is to achieve the highest levels of safety, quality, and cost-effectiveness of healthcare by collecting and analyzing patient safety information and sharing lessons learned and best practices.



REFERENCES

50Minutes.com. *The SMART Criteria: the SMART way to set objectives*. Brussels, Belgium: 50Minutes.com; 2015: 6. Citing: Doran GT. There's a S.M.A.R.T. way to write management's goals and objectives. *Management Review* 1981 Nov;70(11):35-6.

Berry JC, Davis JT, Bartman T, et al. Improved safety culture and teamwork climate are associated with decreases in patient harm and hospital mortality across a hospital system. *J Patient Saf* 2016 Jan 7 [Epub ahead of print]. PubMed: <http://www.ncbi.nlm.nih.gov/pubmed/26741790>

Brilli RJ, McClead RE Jr, Crandall WV, et al. A comprehensive patient safety program can significantly reduce preventable harm, associated costs, and hospital mortality. *J Pediatr* 2013 Dec;163(6):1638-45. PubMed: <http://www.ncbi.nlm.nih.gov/pubmed/23910978>

Centers for Medicare and Medicaid Services (CMS). Medicare program; hospital inpatient prospective payment systems for acute care hospitals and the long-term care hospital prospective payment system policy changes and fiscal year 2016 rates. *Fed Regis* 2015 Aug 17;80(158):49325-886. Also available at <https://www.gpo.gov/fdsys/pkg/FR-2015-08-17/pdf/2015-19049.pdf>

ECRI Institute. Top 10 patient safety concerns for healthcare organizations: 2016. *Risk Manag Rep* 2016 Apr. Also available at <https://www.ecri.org/PatientSafetyTop10>.

Fan CJ, Pawlik TM, Daniels T, et al. Association of safety culture with surgical site infection outcomes. *J Am Coll Surg* 2016 Feb;222(2):122-8. PubMed: <http://www.ncbi.nlm.nih.gov/pubmed/26712245>

Hofmann DA, Mark B. An investigation of the relationship between safety climate and medication errors as well as other nurse and patient outcomes. *Person Psychol* 2006;59:847-69.

Huang DT, Clermont G, Kong L, et al. Intensive care unit safety culture and outcomes: a US multicenter study. *Int J Qual Health Care* 2010 Jun;22(3):151-61. PubMed: <http://www.ncbi.nlm.nih.gov/pubmed/20382662>

Joint Commission. *Comprehensive accreditation manual for hospitals*. Oakbrook Terrace (IL): Joint Commission Resources;2016.

Morello RT, Lowthian JA, Barker AL, et al. Strategies for improving patient safety culture in hospitals: a systematic review. *BMJ Qual Saf* 2013 Jan;22(1):11-8. PubMed: <http://www.ncbi.nlm.nih.gov/pubmed/22849965>

Sorra J, Famolaro T, Yount ND, et al. Hospital survey on patient safety culture 2014 user comparative database report. (Prepared by Westat, Rockville, MD, under contract no. HHS 290201300003C). Rockville, MD: Agency for Healthcare Research and Quality; 2014 Mar. AHRQ publication no. 14-0019-EF. Also available at <http://www.ahrq.gov/professionals/quality-patient-safety/patientsafetyculture/hospital/2014/index.html>

Sorra J, Gray L, Franklin M, et al. Action planning tool for the AHRQ surveys on patient safety culture. (Prepared by Westat, Rockville MD, under contract no. HHS 290201300003C). Rockville, MD: Agency for Healthcare Research and Quality; 2016 Jan. AHRQ publication no. 16-0008-EF. Also available at <http://www.ahrq.gov/professionals/quality-patient-safety/patientsafetyculture/planningtool.html>